

References

1. Bonventre J: Mechanisms of ischemic renal failure. *Kidney Int* 43:1160-1178, 1993
2. Weinberg J: The cell biology of ischemic renal injury. *Kidney Int* 39:476-500, 1991
3. Schumer M et al.: Morphologic, biochemical and molecular evidence of apoptosis during the reperfusion phase after brief periods of renal ischaemia. *Am J Pathol* 140:831-838, 1992
4. Shimizu A, Yamanaka N: Apoptosis and cell desquamation in repair process of ischemic tubular necrosis. *Virchows Arch B Cell Pathol* 64:171-180, 1993
5. Witzgall R et al.: Localization of proliferating cell nuclear antigen, vimentin, c-fos, and clusterin in the postischemic kidney. Evidence for a heterogenous genetic response among nephron segments, and a large pool of mitotically active dedifferentiated cells. *J Clin Invest* 93L2175-2188, 1994
6. Molitoris BA, Marrs J: The role of cell adhesion molecules in ischemic renal failure. *Am J Med* 106:583-592, 1999
7. Toback FG: Regeneration after acute tubular necrosis. *Kidney Int* 41:226-246, 1992
8. Hammerman M, Miller S: Therapeutic use of growth factors in renal failure. *J Am Soc Nephrol* 5:1-11, 1994
9. Humes H: Acute renal failure: Prevailing challenges and prospects for the future. *Kidney Int* 50:S26-S32, 1995

10. Kelly KJ, Molitoris BA: Acute renal failure in the new millennium: time to consider combination therapy. *Semin Nephrol* 20:4-19, 2000
11. Hirschberg R et al.: Multicenter clinical trial of recombinant human insulin-like growth factor I in patients with acute renal failure. *Kidney Int* 55:2423-2432, 1999
12. Allgren RL et al.: Anartide in acute tubular necrosis. Auriculin Anartide Acute Renal Failure Study Group. *N Engl J Med* 336:828-834, 1997
13. Krantz S: Erythropoietin. *Blood* 77:419-434, 1991
14. Jelkmann W: Erythropoietin: Structure, control of production, and function. *Physiol Rev* 72:449-489, 1992
15. Lacombe C et al.: Peritubular cells are the site of erythropoietin synthesis in the murine hypoxic kidney. *J Clin Invest* 81:602-623, 1988
16. Koury S et al.: Quantitation of erythropoietin-producing cells in kidneys of mice by in situ hybridization: Correlation with hematocrit, renal erythropoietin mRNA, and serum erythropoietin concentration. *Blood* 74:645-651, 1989
17. Bachmann S et al.: Co-localization of erythropoietin mRNA and ecto-5'-nucleotidase immunoreactivity in peritubular cells of rat renal cortex indicates that fibroblasts produce erythropoietin. *J. Histochem Cytochem* 41:335-341, 1993
18. Maxwell PH et al.: Identification of the renal erythropoietin-producing cells using transgenic mice. *Kidney Int* 44:1149-1162, 1993
19. Eckardt K et al.: Distribution of erythropoietin producing cells in rat kidneys during hypoxic hypoxia. *Kidney Int* 42:815-823, 1993
20. Kriz W, Kaissling B: Structural Organization of the Mammalian Kidney in *The Kidney* 1:707-777 (D.W. Delsin & G. Giebisch, eds. (1992).

21. Westenfelder C et al.: Human, rat and mouse kidney cells express functional erythropoietin receptors. *Kidney Int* 55:808-820, 1999
22. Vaziri N et al.: Erythropoietin enhances recovery from cisplatin-induced acute renal failure. *Am J Physiol* 266:F360-F366, 1994
23. Nemoto T et al.: Recombinant erythropoietin rapidly treats anemia in ischemic acute renal failure. *Kid. Int* 59:246-251, 2001
24. Gennaro AR: The science and practice of pharmacy. Lippincott, Williams & Wilkins, Philadelphia, PA
25. Lieberthal W et al.: Necrosis and apoptosis in acute renal failure. *Semin Nephrol* 18:505-518, 1998
26. Kartha S, Toback FG: Adenine nucleotides stimulate migration in wounded cultures of kidney epithelial cells. *J Clin Invest* 90:288-292, 1992
27. Westenfelder C et al.: Renal tubular function in glycerol-induced acute renal failure. *Kidney Int* 18:432-444, 1980
28. McWhinnie DL et al.: Morphometric analysis of cellular infiltration assessed by monoclonal antibody labeling in sequential human renal allograft biopsies. *Transplantation* 42:352-358, 1986